



## SUMMARY OF ACCESSIBLE UPGRADES FOR EXISTING BUILDINGS

The purpose of this Information Bulletin is to summarize the accessibility upgrades that may be required of existing buildings or facilities. The provisions of the 2022 Edition of the California Building Code (CBC) §11B-202.4, Exception 8, apply to existing buildings or facilities used as public buildings, public accommodations, commercial buildings, or public housing. **When these buildings or facilities undergo alterations, structural repairs, or additions, an accessible path of travel must be provided to the specific area of construction.**

Within three years of the original alteration, when the adjusted construction cost<sup>1</sup> of **alterations, structural repairs, or additions to existing buildings and facilities** does not exceed a valuation threshold of **\$200,399.00**, the cost of compliance with CBC §11B-202.4 shall be limited to 20% of the adjusted construction cost of alterations, structural repairs, or additions.

In choosing which accessible elements to provide, priority shall be given to those elements that will provide the greatest access in the following order:

1. An accessible entrance.
2. An accessible route to the area of alteration, structural repair, or addition (see CBC §202 & 11B- 206.2.1 for more information on accessible routes and site arrival points);
3. At least one accessible restroom for each sex or a single accessible unisex restroom serving the area of alteration, structural repair or addition.
4. Accessible telephones, if provided, serving the area of alteration, structural repair, or addition.
5. Accessible drinking fountains, if provided, serving the area of alteration, structural repair, or addition; and/or
6. When possible, additional accessible elements such as parking, storage, and alarms.

If you meet the exception provisions of the 2022 Edition of the California Building Code (CBC) §11B-202.4, Exception 8. Included in this Information Bulletin is an example of a completed Summary of Accessibility Upgrades for Existing Buildings form, and a blank form is included.

*NOTE: If an area has been altered without providing an accessible path of travel to that area, and subsequent alterations of that area or a different area on the same path of travel are undertaken within three years of the original alteration, the total cost of alterations to the areas on that path of travel during the preceding three-year period shall be considered in determining whether the cost of making that path of travel accessible is disproportionate.*

Last Name: \_\_\_\_\_

Property Address: \_\_\_\_\_

If you do not meet the exception provisions of the 2022 Edition of the California Building Code (CBC) §11B-202.4, Exception 8. The State of California provides specific authority and responsibility to the Building Official in administering and enforcing the CCR Title 24. In cases of practical difficulty, unnecessary hardship, or extreme differences, the Building Official, pursuant to Health and Safety Code §19957, may grant exceptions from the literal requirements of the standards and specifications or permit the use of other methods or materials, but only when it is clearly evident that equivalent facilitation and protection are secured.

Last Name: \_\_\_\_\_

Property Address: \_\_\_\_\_

<b>Project Address:</b> 123 Hope Street		<b>Application No.</b>	
<b>Project Description/Location:</b> Office tenant improvement (2,040 SF) at 5 <sup>th</sup> floor Suite No. 502		<b>Permit Valuation: \$120,000</b>	
<b>Type:</b> <input checked="" type="checkbox"/> Alteration <input type="checkbox"/> Structural Repair <input type="checkbox"/> Addition		<b>*Adjusted Cost of Proposed Construction: \$100,000</b>	
PATH OF TRAVEL REQUIREMENTS FOR AREA OF ALTERATION, STRUCTURAL REPAIR, OR ADDITION			
Accessible Features	Does existing feature meet accessibility standards of Chapter 11B of the current CBC?	Will this feature be replaced or altered to meet Chapter 11B of the current CBC?	If so, how much will be spent to make this feature accessible?
1. Accessible entrance	Yes		\$
2. Accessible route to the altered area	Yes		\$
3. Accessible restroom for each sex or a unisex restroom	No	Yes	\$12,000
4. Accessible telephones	N/A		\$
5. Accessible drinking fountains	No	Yes	\$6,000
6. Other (Any of the below)			
A. Accessible parking spaces	No	No	\$10,000
B. Signs	No	Yes	\$2,000
C. Alarms	N/A		\$
D. Other:	N/A		\$
Cost of All Features Provided (A)	Summary of costs of Accessible Features Nos. 1-6 provided above.		\$20,000
Adjusted Cost of Proposed Construction (B)	Construction cost for all proposed work on this permit application <b>except</b> Accessible Features Nos. 1-6 provided above.		\$100,000
Percentage Upgrades Provided (A / B)	Cost of all Features Provided / Total Cost on Same Path of Travel.		20%
<b>Description of Access Features Provided:</b>			
New unisex restroom will be created immediately adjacent to exiting men and women's restroom in corridor. Drinking fountain at ground floor lobby will be			
replaced with new hi-lo-accessible unit. Existing signage for 10 accessible parking spaces will be replaced and updated to current requirements. Parking			
stall access aisle slopes are greater than 2% to existing curbs and cost of creating compliant slopes and curb ramps exceeds the required 20% spending.			
<b>Applicant Certification</b>			
I certify that the above information is true and correct to the best of my knowledge and belief.			
Signature:	<i>John Smith</i>	Date: 01 / 01 / 2020	Company: John Smith and Associates
Name:(print)	John Smith	Address:	123 Broadway
Title:	Architect of Record	City, State Zip:	Los Angeles, CA 90012
Agent for:	<input checked="" type="checkbox"/> Owner <input checked="" type="checkbox"/> Architect <input type="checkbox"/> Engineer <input type="checkbox"/> Contractor	Phone No.:	(213) 555-1212
<b>For Building Official Use Only</b>			
Approved by:		Title:	Date: / /

Last Name: \_\_\_\_\_

Property Address: \_\_\_\_\_

<b>Project Address:</b>		<b>Application No.</b>	
<b>Project Description/Location:</b>		<b>Permit Valuation:</b>	
<b>Type:</b> <input type="checkbox"/> Alteration <input type="checkbox"/> Structural Repair <input type="checkbox"/> Addition		<b>*Adjusted Cost of Proposed Construction:</b>	
<b>PATH OF TRAVEL REQUIREMENTS FOR AREA OF ALTERATION, STRUCTURAL REPAIR, OR ADDITION</b>			
Accessible Features	Does existing feature meet accessibility standards of Chapter 11B of the current CBC?	Will this feature be replaced or altered to meet Chapter 11B of the current CBC?	If so, how much will be spent to make this feature accessible?
1. Accessible entrance			
2. Accessible route to the altered area			
3. Accessible restroom for each sex or a unisex restroom			
4. Accessible telephones			
5. Accessible drinking fountains			
6. Other (Any of the below)			
A. Accessible parking spaces			
B. Signs			
C. Alarms			
D. Other:			
Cost of All Features Provided (A)	Summary of costs of Accessible Features Nos. 1-6 provided above.		
Total Cost on Same Path of Travel (B )	Cost of Proposed Construction and Cost of Preceding Alterations.		
Percentage Upgrades Provided (A / B)	Cost of all Features Provided / Total Cost on Same Path of Travel.		
<b>Description of Access Features Provided:</b>			
<b>Applicant Certification</b>			
I certify that the above information is true and correct to the best of my knowledge and belief.			
Signature:		Date:    /    /	Company:
Name: (print)			Address:
Title:			City, State Zip:
Agent for:	<input type="checkbox"/> Owner <input type="checkbox"/> Architect <input type="checkbox"/> Engineer <input type="checkbox"/> Contractor		Phone No.:
<b>For Building Official Use Only</b>			
Approved by:		Title:	Date:    /    /